



TIP-ON BLUMOTION TANDEMBOX


www.blum.com

 **blum**®

TIP-ON BLUMOTION TANDEMBOX




Standardanwendungen | Standard applications | Applications standard | Applicazioni standard | Aplicaciones estándar |
Rozwiązania standardowe | Стандартные конструкции



> <http://www.blum.com/documentstiponblumotion>



Planung | Planning | Planification |
Progettazione | Planificación |
Planowanie | Проектирование



Montage | Assembly | Montage |
Montaggio | Montaje | Montaž |
Монтаж




Einstellung | Adjustment | Réglage |
Regolazione | Ajuste | Regulacja |
Регулировка



Demontage | Removal |
Démontage | Smontaggio |
Desmontaje | Demontaž |
Демонтаж



Klickbar | Clickable | Cliquable |
Cliccabile | Se puede hacer clic |
Klikalny | Кликабельно







Nicht Klickbar | Not clickable |
Pas cliquable | Non cliccabile |
No se puede hacer clic |
Nie klikalny | Некликабельно




Zurück | Back | Retour | Indietro |
Hacia atrás | Wstecz | Назад

TIP-ON BLUMOTION TANDEMBOX


blum



i LW 238 – 286 mm




LW ≥ 287 mm




TIP-ON BLUMOTION TANDEMBOX


 **blum**



1




2




TIP-ON BLUMOTION TANDEMBOX


 **blum**




3




4



5




TIP-ON BLUMOTION TANDEMBOX




i

KB ≥ 750 mm






i

KB ≥ 750 mm




i

KB ≥ 750 mm / FH ≥ 400 mm




TIP-ON BLUMOTION TANDEMBOX

 **blum**









1



TIP-ON BLUMOTION TANDEMBOX

 **blum**



Julius Blum GmbH
Beschlägefabrik
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-Mail: info@blum.com
www.blum.com

