BLUMOTION
by Blum





CLIP top BLUMOTION, CLIP top, CLIP

www.blum.com

CLIP top BLUMOTION, CLIP top, CLIP

Standardanwendungen | Standard applications | Applications standard | Applicazioni standard | Aplicaciones estándar | Rozwiązania standardowe | Стандартные конструкции | 标准应用








Planung | Planning | Planification | Progettazione | Planificación | Planowanie | Проектирование | 设计

Montage | Assembly | Montage | Montaggio | Montaje | Montaż | Монтаж | 安装

Einstellung | Adjustment | Réglage | Regolazione | Ajuste | Regulacja | Регулировка | 调节

Demontage | Removal | Démontage | Smontaggio | Desmontaje | Demontaż | Демонтаж | 拆卸


Abdeckkappe | Cover cap | Cache | Placchetta di copertura | Tapas | Zaślepka | Заглушка


Öffnungswinkelbegrenzer | Opening angle stop | Limiteur d'angle d'ouverture | Limitatore angolo di apertura | Limitador de apertura | Ogranicznik kąta otwarcia | Ограничитель угла открывания | 开启角度限制器


Anschrauben | Screw-on | À visser | Da avvitare | Para atornillar | Na wkręty | На саморезы | 螺丝拧入式


Einpressen | Knock-in | À frapper | Inserimento a pressione | Para presión | Wciskane | Под пресс | 机装压入式


EXPANDO

INSERTA


Eckanschlag | Overlay application | Porte en applique | Battuta con sormonto | Tope de esquina | Drzwi nakładane | Накладная конструкция | 全盖


Mittelanschlag | Dual application | Portes jumelées | Battuta mediana | Tope central | Drzwi bliźniacze | Полунакладная конструкция | 半盖


Innenanschlag | Inset application | Porte encastrée | Battuta interna | Tope interior | Drzwi wpuszczane | Вкладная конструкция | 内掩

Klickbar | Clickable | Cliquable | Cliccabile | Se puede hacer clic | Klikalny | Кликабельно | 可点击


Nicht Klickbar | Not clickable | Pas cliquable | Non cliccabile | No se puede hacer clic | Nie klikalny | Некликабельно | 不可点击

Zurück | Back | Retour | Indietro | Hacia atrás | Wstecz | Назад | 返回

MD-029/2 · 12.20 · © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP









H = 8.5 **D** = 0	H = 11.5 **D** = 3	H = 14.5 **D** = 6	H = 17.5 **D** = 9	
FA	**FA**	**FA**	**FA**	**TB**
14	11	8	5	3
15	12	9	6	4
16	13	10	7	5
17	14	11	8	6









H = 8.5 **D** = 0	H = 11.5 **D** = 3	H = 14.5 **D** = 6	H = 17.5 **D** = 9	
FA	**FA**	**FA**	**FA**	**TB**
4.5	1.5	-1.5	-4.5	3
5.5	2.5	-0.5	-3.5	4
6.5	3.5	0.5	-2.5	5
7.5	4.5	1.5	-1.5	6









H = 8.5 **D** = 0	H = 11.5 **D** = 3	
FA	**FA**	**TB**
-4	-7	3
-3	-6	4
-2	-5	5
-1	-4	6

MD-029/2 · 12.20 · © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP





1  **(3.5 x 17)**







1 **ZME.0710**





1



MD-029/2 · 12.20 · © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP





















MD-029/2 · 12.20· © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP



MD-029/2 · 12.20· © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP



1a



1b



1c



2a CLIP top, CLIP top BLUMOTION



2b CLIP



3



MD-029/2 · 12.20 · © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP





86° - 70T3553

1



2





86° - 74.1103

1



2



3



4







155° **92° - 70T7553.09 / 110°- 70T7553**

125° **92° - 70T7553**

1



2



MD-029/2 · 12.20· © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP

BLUMOTION
by Blum

















MD-029/2 · 12.20 · © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP







MD-029/2 · 12.20· © Copyright by Blum

CLIP top BLUMOTION, CLIP top, CLIP







MD-029/2 · 12.20· © Copyright by Blum

MD-029/2 · 12.20· © Copyright by Blum

Julius Blum GmbH
Beschlägefabrik
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-Mail: info@blum.com
www.blum.com

ISO 9001 Certified Quality System
ISO 14001 Certified Environmental System
ISO 50001 Certified Energy System